

Re: Follow Up on EMJ Transloading Facility From Yesterday

Delete Reply Reply all Forward

AE

Amy Essig Desai <aedesai@farallonconsulting.com>

Mark as unread

Wed 4/2/2014 11:06 AM

To: Chu Rebecca;

Heading to Ft. Worth on business travel. I will look on my calendar and get back to you later today with some dates.

Sent from my Verizon Wireless Smartphone

----- Reply message -----

From: "Chu Rebecca" <Chu.Rebecca@epa.gov>

To: "Hoffman, Erika" <Hoffman.Erika@epa.gov>, "Bartus, Dave" <Bartus.Dave@epa.gov>, "Ryan Barth" <rbarth@anchorqea.com>, "Amy Essig Desai"

<aedesai@farallonconsulting.com>, "Dyer, Miles" <mdyer@JorgensenForge.com>

Subject: Follow Up on EMJ Transloading Facility From Yesterday

Date: Wed, Apr 2, 2014 9:21 am

Hi All

Thank you all for meeting yesterday to go over the transloading facility process and initiating the discussion on BMPs for the purposes of the EMJ removal action. I just wanted to make a couple of clarifications for folks on the CERCLA process based on what we discussed.

EPA does not approve a transloading facility under a CERCLA order. Instead, EPA, via the CERCLA order, will identify BMPs that EMJ will need to ensure that their selected transloading facility has in place to substantively comply with the ARARs.

In terms of identifying the BMPs- it is great to continue a group discussion of what BMPs should be in place to substantively comply with the ARARs based on EMJs proposed transloading facility. For purposes of "who will identify the appropriate BMPs"- as it is through the CERCLA Order, the BMPs will come from me to Amy as the PMs identified in the AOC. I will consult with the experts within EPA about the appropriate BMPs needed to substantively comply with the ARARs- hence why it is great to have the dialogue with them in the room. Clarifying this point because it was clearly

confusing yesterday as to what the official requirements would be and who would communicate them.

I'll work with Amy to set up another meeting. The next steps are to get the draft plans and diagrams from EMJ for Erika, Dave and I to review. Then we can have a follow up meeting to go over in more detail.

Becky

Rebecca Chu | Remedial Project Manager
United States Environmental Protection Agency
Region 10
1200 Sixth Ave Suite 900
ECL-111
Seattle, WA 98101
(206) 553-1774 
chu.rebecca@epa.gov